1984 ANNUAL INDEXES

Textile Research Journal

Volume 54

AUTHOR AND TITLE INDEX, pp. 887–893

SUBJECT INDEX, pp. 894–901

MONTH	PAGES	MONTH	PAGES
January	1–76	July	419–496
February	77–138	August	497–558
March	139–216	September	559–636
April	217–278	October	637–698
May	279–356	November	699–792
June	357–418	December	793–902

AUTHOR AND TITLE INDEX

Abbott, G. M. Force-Extension Behavior of Helically Wrapped Elastic Core Yarns 204
Effect of Combined Dust Control/Antislip Additives on Cotton Spinning 413
Abdullah, A. B. M. Photostability of Jute Part II: Action of Singlet Oxygen Quenchers (*Miles*) 415
Adler, Martha Molly Mechanisms of Transient Moisture Transport Between Fabrics (*Walsh*) 334
Alberti, Guido Thermodynamic Features in Acrylic Fiber Dyeing with Basic Dyes (*DeGiorgi*) 105
Anderson, C. A. Characteristics of the Protein Contaminant Layer on Merino Wool (*Christoe*) 378
Assessing the Wool Characteristics and Liquor System Performance of an Optimized Lo-flo Scouring Plant (*Bateup, Warner*) 833
Aravindanath, S. Fine Structural Features of Swollen and Stretched Normal Viscose Rayon Filaments (*Krishna Iyer, Sreenivasan, Patil, Sundaram*) 775
Is Mercerization of Cotton Related to Its Bilateral Structure? 883
Attfield, M. D. Variation of Microbial Contaminants in Classers' Raw Cottons (*Morey, Fischer, Sasser, Foarde*) 188
Averell, R. B. Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Buckley, Evins, Jackson, Schultz, Becker, Booker, Hollies*) 447

Bailar, John C., Jr. Adsorption of Chiral Metallized Azo Dyes on Natural Fibers (*Hutchinson*) 123
Bajaj, P. Flame Retardant, Durable Press Finishes for Cotton and Polyester/Cellulosic Blends, (*Chakrapani, Jha*) 619
Effect of Hardness Ions on the Flammability of Phosphorylated and Aftertreated Polyester/Viscose Blend Fabrics (*Chakrapani, Jha, Jain*) 854
Barella, A. Relation Between Twist and Abrasian Resistance of Rotor Spun Yarns Part II: Polyester and Blend Yarns (*Manich*) 314
Diameter and Hairiness of Ring and Rotor Polyester-Cotton Blended Spun Yarns (*Manich, Castro, Hunter*) 840
Barker, Roger L. Experimental Detection of Capillary Adhesion Forces Between Single Textile Fibers (*Shin*) 590
Protective Fabrics: A Comparison of Laboratory Methods for Evaluating Thermal Protective Performance in Convective/Radiant Exposures (*Shalev*) 648
Bateup, B. O. Relationship Between the Whiteness of Scoured Wool and the Level of Residual Nitrogen-Containing Contaminants 299
Assessing the Wool Characteristics and Liquor System Performance of an Optimized Lo-flo Scouring Plant (*Anderson, Warner*) 833
Becker, C. L. Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Buckley, Evins, Averell, Jackson, Schultz, Booker, Hollies*) 447
Improved Comfort Polyester Part IV: Analysis of the Four Wearer Trials (*Hollies, DeMartino, Yoon, Buckley, Jackson*) 544
Bel, Patricia D. A Wool/Cotton Blend Fabric Made with Scoured Wool Processed Through the Carding Cleaner (*Louis*) 850
Benisek, L. Effect of Chrome Dyeing on Protection of Wool Against Molten Aluminium (*Edmondson*) 214
Machine Washable, Flame-Retardant, Water, Oil, Petrol, and Acid Repellent Wool (*Craven*) 350
Berni, Ralph J. Potassium: A New Marker for Washed Cotton (*Domelsmith*) 210
Changes in Cotton Fiber Surfaces Due to Washing (*Goynes, Carra*) 242
Occurrence of Calcium Oxalate Crystals in Cotton Plants and Cotton-Related Dusts (*Goynes, Ingber*) 635
Bertoniere, Noelie R. Effect of Drying Rate on the Location of Durable Press Reagents in Fabric (*King, Rowland*) 50
Reagent Migration in Fabric Thickness in Pad-Dry-Cure Finishing (*Rowland, King*) 318
Gel Permeation Characteristics of Jute and Cotton (*Rowland, Kabir, Rahman*) 434
Bhama Iyer, P. Extraneous Lattice in Regenerated Cellulose (*Sreenivasan, Patil*) 119
Crystallization of Amorphous Cellulose (*Sreenivasan, Chidambareswaran, Patil*) 732
Bhat, N. V. Scanning Electron Microscopy Studies on Nylon 6 Filaments Subjected to Drawing and Swelling Treatment (*Subramanian, Venkataraman*) 331
Effect of Drawing of Poly(ethylene Terephthalate) Fiber on Molecular Orientation (*Naik*) 868

Bhatt, H. H. Estimation of Tensile Properties of Single Cotton Fibers from Load-Elongation Curves of Bundles (*Dhavan, Radhakrishnan*) 549
Bhattacharjee, Tapan K. Dye Resist Effect in Polyester Homopolymer During Aqueous Dyeing 438
Blankenburg, G. Possible Identification of Specialty Fibers by Electrophoresis (*Marshall, Zahn*) 126
Booker, H. E. Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Buckley, Evins, Averell, Jackson, Schultz, Becker, Hollies*) 447
Boylston, E. K. Reversal Frequencies in Developing Cotton Fibers (*Hebert*) 23
Breen, N. E. Residual Oily Soil Distribution on Polyester/Cotton Fabric After Laundering with Selected Detergents at Various Wash Temperatures (*Durnam, Obendorf*) 198
Britton, Peter N. Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part II: Bond Breaking (*Sampson, Gettys*) 1
Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part III: Fabric Failure (*Sampson, Gettys*) 425
Brown, Russell L. Influence of Resin Add-on and Co-applied Water in Foam Finishing of Cotton Fabric (*Bryant*) 807
Bryant, George M. Dynamic Sorption of Semistable Foams by Fabrics Part I: Implications for Textile Foam Application Processes 217
Influence of Resin Add-on and Co-applied Water in Foam Finishing of Cotton Fabric (*Brown*) 807
Buckley, A. Improved Comfort Polyester Part I: Transport Properties and Thermal Comfort of Polyester/Cotton Blend Fabrics (*Yoon*) 289
Improved Comfort Polyester Part II: Mechanical and Surface Properties (*Yoon, Sawyer*) 357
Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Evins, Averell, Jackson, Schultz, Becker, Booker, Hollies*) 447
Improved Comfort Polyester Part IV: Analysis of the Four Wearer Trials (*Hollies, DeMartino, Yoon, Becker, Jackson*) 544
Improved Comfort Polyester Part V: Results from Two Subjective Wearer Trials and Their Correlation with Laboratory Tests (*DeMartino, Yoon*) 602

Carnaby, Garth A. Fiber Breakage During Carding Part I: Theory 366
Fiber Breakage During Carding Part II: Evaluation (*Wood, Stanley-Boden*) 419
Carra, Jarrell H. Changes in Cotton Fiber Surfaces Due to Washing (*Goynes, Berni*) 242
Castro, L. Diameter and Hairiness of Ring and Rotor Polyester-Cotton Blended Spun Yarns (*Barella, Manich, Hunter*) 840
Chakrapani, S. Flame Retardant, Durable Press Finishes for Cotton and Polyester/Cellulosic Blends (*Bajaj, Jha*) 619
Effect of Hardness Ions on the Flammability of Phosphorylated and Aftertreated Polyester/Viscose Blend Fabrics (*Bajaj, Jha, Jain*) 854
Chattopadhyay, R. Loss in Fiber Tenacity During Separation in Rotor Spinning (*Salhotra*) 194
Chidambareswaran, P. K. Structure-Property Relations in Chemically Treated Cotton Fibers (*Sreenivasan, Patil, Sundaram*) 682
Crystallization of Amorphous Cellulose (*Bhama Iyer, Sreenivasan, Patil*) 732
Christoe, J. R. Characteristics of the Protein Contaminant Layer on Merino Wool (*Anderson*) 378
Scouring Protein Contaminants from Raw Wool Part I: Single Bowl Laboratory Studies 713
Chudleigh, P. W. Image Formation by Fibers and Fiber Assemblies 813
Cook, J. R. Sorption of Water-Soluble Anionic Polymers by Wool (*Fleischfresser*) 441
Craven, P. C. Machine Washable, Flame-Retardant, Water, Oil, Petrol, and Acid Repellent Wool (*Benisek*) 350

Daigle, Donald J. Scavengers and pH Control in Aftertreatments for Reducing Formaldehyde Release from Durable Press Cottons (*Reinhardt*) 98
Das, N. N. Origin of Acidity in Jute Fiber (*Das, Dutt, Mukherjee*) 166
Das, S. C. Origin of Acidity in Jute Fiber (*Das, Dutt, Mukherjee*) 166
Dayte, Keshav V. Load-Elongation Properties of Filaments in a Multifilament Yarn (*Mishra*) 408
Dave, A. M. Effect of Humidity on Soiling Behavior of Textiles (*Kumar, Srivastava*) 585
DeGiorgi, Maria Rita Thermodynamic Features in Acrylic Fiber Dyeing with Basic Dyes (*Alberti*) 105
DeMartino, Ronald N. Comfort Properties of Polybenzimidazole Fiber 516
Improved Comfort Polyester Part III: Wearer Trials (*Yoon, Buckley, Evins, Averell, Jackson, Schultz, Becker, Booker, Hollies*) 447
Improved Comfort Polyester Part IV: Analysis of the Four Wearer Trials (*Hollies, Yoon, Buckley, Becker, Jackson*) 544
Improved Comfort Polyester Part V: Results from Two Subjective Wearer Trials and Their Correlation with Laboratory Tests (*Yoon, Buckley*) 602
Denby, E. F. Bending Rigidity and Hysteresis of Wool Worsted Yarn (*Ly*) 180
Reply to "Comments on 'Wind Induced Transfer of Water Vapor and Heat Through Clothing' " (*Stuart*) 687
Deopura, B. L. Effect of Moisture Content on Stress Ageing of Nylon 6 (*Verma, Sengupta*) 92
Dhavan, K. Estimation of Tensile Properties of Single Cotton Fibers from Load-Elongation Curves of Bundles (*Bhatt, Radhakrishnan*) 549
Doğu, İsmail Fundamentals of Electrostatic Spinning Part IV: Ionization of Atmospheric Air under Action of an Electric Field 111
Domelsmith, L. N. Potassium: A New Marker for Washed Cotton (*Berni*) 210
Duckett, K. E. A Multi-Stage Apparatus for Characterizing the Cyclic Torsional Fatigue Behavior of Single Fibers (*Goswami*) 43
Durnam, D. J. Residual Oily Soil Distribution on Polyester/Cotton Fabric After Laundering with Selected Detergents at Various Wash Temperatures (*Breen, Obendorf*) 198
Dutt, A. S. Origin of Acidity in Jute Fiber (*Das, Das, Mukherjee*) 166
Dutta, A. Identifying Critical Process Variables in Poly(ethylene Terephthalate) Melt Spinning (*Nadkarni*) 35

Edmondson, G. K. Effect of Chrome Dyeing on Protection of Wool Against Molten Aluminium (*Benisek*) 214
El-Farahaty, K. A. Measuring Refractive Indices and Birefringence of Multiple Skin Polymer Fibers from Their Interference Patterns (*Hamza, Fouda, Hashish*) 802
Ellison, M. S. Selected Single Fiber Mechanical Properties of Different *Gossypium Barbadense* Cotton Varieties (*Kamal, Zeronian, Hyer*) 343

Flexural Fatigue Life of Chemically Modified Wool Fibers (*Zeronian*) 690
El-Shiekh, Aly Stretch Mercerization of Cotton Fibers Part I: Fiber and Yarn Properties (*Kim, Kang, Seyam*) .. 325
Stretch Mercerization of Cotton Fibers Part II: Fabric Properties (*Kim, Kang, Seyam*) 370
Tensile Behavior of Twisted Hybrid Fibrous Structures Part I: Theoretical Investigation Part II: Experimental Studies (*Kim*) 526
Evans, David J. Osmium Staining of Beta-Layers Within the Cell Membrane Complex of Wool-Butadiene Copolymers (*Russell, Jones*) 696
Evins, C. V. Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Buckley, Averell, Jackson, Schultz, Becker, Booker, Hollies*) 447

Feldtman, H. D. Effects of Polar Organic Solvents on the Abrasion Resistance of Wool Fabric (*Leeder*) 26
Fischer, J. J. Variation of Microbial Contaminants in Classers' Raw Cottons (*Morey, Sasser, Foarde, Attfield*) 188
Fleischfresser, B. E. Sorption of Water-Soluble Anionic Polymers by Wool (*Cook*) 441
Foarde, K. K. Variation of Microbial Contaminants in Classers' Raw Cottons (*Morey, Fischer, Sasser, Attfield*) 188
Föhles, J. Morphological Composition of the Cuticle from Chemically Treated Wool Part I: Calculating Endocuticle Content in Isolated Cuticle from the Results of Amino Acid Analysis (*Röper, Peters, Zahn*) 139
Morphological Composition of the Cuticle from Chemically Treated Wool Part II: The Role of the Cuticle in Industrial Shrinkproofing Processes (*Röper, Peters, Zahn*) 262
Fornes, R. E. Cotton Dust Characterization: A Comparison of Sonically Separated Fine Dust (<20 μm) with Respirable (Vertical Elutriator) Dusts (*Gilbert*) 68
Fouda, I. M. Measuring Refractive Indices and Birefringence of Multiple Skin Polymer Fibers from Their Interference Patterns (*Hamza, Hashish, El-Farahaty*) 802
Fransson, M. Fatigue of Aramid Cords in Conveyor Belts (*Wiberger, Olofsson*) 247
Frick, J. G., Jr. Knitted Cotton Fabric from Treated Yarn (*Harper*) 352

Gee, E. Comments on "Distribution of Fiber Diameter in Wool Tops" 689
Gettys, W. Edward Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part II: Bond Breaking (*Britton, Sampson*) 1
Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part III: Fabric Failure (*Britton, Sampson*) 425
Gilbert, R. D. Cotton Dust Characterization: A Comparison of Sonically Separated Fine Dust (<20 μm) with Respirable (Vertical Elutriator) Dusts (*Fornes*) 68
Gonzales, Elwood J. Applying Stepwise Multiple Regression Analysis to the Reaction of Formaldehyde with Cotton Cellulose (*Rowland*) 157
Differentiation of Catalyst Types in the Formaldehyde Cotton Cellulose Reaction (*Rowland*) 820
Gordon, P. G. Machine-Washable, Flame Retardant Treated Wool—Improvements to the Combined Sirolan and Zirpro Treatments (*Logan, White*) 559
Goswami, Bhuvenesh C. A Multi-Stage Apparatus for Characterizing the Cyclic Torsional Fatigue Behavior of Single Fibers (*Duckett*) 43
Determination of Poisson's Ratio in Thermally Bonded Nonwoven Fabrics (*Suryadevara, Vigo*) 391
Goynes, Wilton R. Changes in Cotton Fiber Surfaces Due to Washing (*Carra, Berni*) 242
Occurrence of Calcium Oxalate Crystals in Cotton Plants and Cotton-Related Dusts (*Ingber, Berni*) 635
Gózdź, Antoni S. Surface Characterization of Bimorphic PET Filaments by Inverse Gas Chromatography (*Weigmann*) 9
Gregory, D. R. An Analysis of Roll Wrap Formation (*Phillips, Wang*) 793
Greven, R. Resistance of Keratin to Pronase (*Klotz, Zahn*) 134
Groot Wassink, J. Nonstationary Mass Transfer in Open-Width Washing Machines (*van der Linden, Vos*) ... 77
Gu, Huang Reduction of Warp Tension Fluctuation and Beat-up Strip Width in Weaving 143
Face Down Weaving and Its Effect on Fabric Properties 736
Guha Roy, T. K. Surface Features of Jute Fiber Using Scanning Electron Microscopy (*Mukhopadhyay, Mukherjee*) 874
Gupta, A. K. Dye Diffusion in Poly(ethylene Terephthalate) Fibers (*Gupta, Rajan, Kasturia*) 54
Gupta, B. S. Load-Elongation Behavior of Crimped Filaments (*Hong*) 694
Gupta, V. B. Dye Diffusion in Poly(ethylene Terephthalate) Fibers (*Gupta, Rajan, Kasturia*) 54

Habib, A. M. Liquid Ammonia and Caustic Mercerization of Cotton Fibers Using X-Ray, Infrared, and Sorption Measurements (*Saafan, Kandil*) 863
Hamza, A. A. Measuring Refractive Indices and Birefringence of Multiple Skin Polymer Fibers from Their Interference Patterns (*Fouda, Hashish, El-Farahaty*) 802
Hardin, Ian R. Effects of Selected Inorganic Salts on Cotton Flammability Part I: Untreated Cotton in the Vertical Test and Oxygen Index Test (*Hsieh*) 171
Harnett, P. R. A Survey and Comparison of Laboratory Test Methods for Measuring Wicking (*Mehta*) 471
Harper, Robert J., Jr. Knitted Cotton Fabric from Treated Yarn (*Frick*) 352
Hashish, A. H. Measuring Refractive Indices and Birefringence of Multiple Skin Polymer Fibers from Their Interference Patterns (*Hamza, Fouda, El-Farahaty*) .. 802
Hassenboehler, Charles B., Jr. A New Method for Pore Structure Analysis Using Air Flow 252
Hatch, Kathryn L. Chemicals and Textiles Part I: Dermatological Problems Related to Fiber Content and Dyes 664
Chemicals and Textiles Part II: Dermatological Problems Related to Finishes 721
Hebert, J. J. Reversal Frequencies in Developing Cotton Fibers (*Boylston*) 23
Hettich, B. V. Performance Characteristics and Applications of Flame Resistant Rayon Fabrics 382
Hillermeier, Karlheinz Prospects of Aramid as a Substitute for Asbestos 575
Hojo, Nobumasa Thermal Stabilities of Ni(II) Partially Phosphorylated Polyvinyl Alcohol Complexes (*Kurose, Shirai, Shimizu*) 277
Holcombe, B. V. Heat Transfer Through Fiber Beds by Radiation with Shading and Conduction (*Stuart*) 149
Hollies, N. R. S. Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Buckley, Evins, Averell, Jackson, Schultz, Becker, Booker*) 447
Improved Comfort Polyester Part IV: Analysis of the Four Wearer Trials (*DeMartino, Yoon, Buckley, Becker, Jackson*) 544
Holt, Leo A. Sorption of Perchloroethylene and Toluene by Wool and Other Textiles: Influence of Co-solvents 226
Evaluation of the Effects of Temperature and UV-Absorber Treatments on the Photodegradation of Wool (*Milligan*) 521

Hong, Peng Load-Elongation Behavior of Crimped Filaments (*Gupta*) 694
Hsieh, You-Lo Effects of Selected Inorganic Salts on Cotton Flammability Part I: Untreated Cotton in the Vertical Test and Oxygen Index Test (*Hardin*) 171
Humphries, W. Performance of a High Velocity Pulse Jet Filter in a Wool Carbonizing Process (*Miceli, Madden*) 237
Hunter, L. Diameter and Hairiness of Ring and Rotor Polyester-Cotton Blended Spun Yarns (*Barella, Manich, Castro*) 840
Hussain, G. F. S. Sonic Modulus of Cotton Yarn and Its Relationship with Recovery Parameters (*Krishna Iyer, Patil*) 761
Hutchinson, Mark H. Adsorption of Chiral Metallized Azo Dyes on Natural Fibers (*Bailar*) 123
Hyer, A. H. Selected Single Fiber Mechanical Properties of Different *Gossypium Barbadense* Cotton Varieties (*Kamal, Zeronian, Ellison*) 343

Inagaki, Hiroshi Fibrillation of the Cortex of Merino Wool Fibers by Freezing-Thawing Treatment (*Ito, Sakabe, Miyamoto*) 397
Ingber, Bruce F. Occurrence of Calcium Oxalate Crystals in Cotton Plants and Cotton-Related Dusts (*Goynes, Berni*) 635
Ito, Hiraku Fibrillation of the Cortex of Merino Wool Fibers by Freezing-Thawing Treatment (*Sakabe, Miyamoto, Inagaki*) 397

Jachowicz, J. Directional Triboelectric Effect in Keratin Fibers (*Wis-Surel, Wolfram*) 492
Jackson, W. W. Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Buckley, Evins, Averell, Schultz, Becker, Booker, Hollies*) 447
Improved Comfort Polyester Part IV: Analysis of the Four Wearer Trials (*Hollies, DeMartino, Yoon, Buckley, Becker*) 544
Jain, A. Effect of Hardness Ions on the Flammability of Phosphorylated and Aftertreated Polyester/Viscose Blend Fabrics (*Bajaj, Chakrapani, Jha*) 854
Jain, D. K. Mechanism of Light Fading of Azo Dyes on Polyvinyl Chloride and Poly(ethylene Terephthalate) (*Shah*) 321
Studies on n-Butanol Assisted Dyeing of Lanasol (Acid Reactive) Dyes on Nylon 66 (*Shah*) 485
Light Fading of Solubilized Vat Dyes on Nylon 66 Aftertreated with Hydroquinone (*Shah*) 552
Sulphonic Acid Groups in Monoazo Acid Dyes and Their Effect on Lightfastness on Nylon 66 (*Shah*) 630
Dyeing of Modified Polypropylene—Cationic Dyes on Brominated Polypropylene (*Shah*) 742
Effect of Hydroquinone on Light-Induced Degradation of Nylon 6 Dyed with Solubilized Vat Dyes (*Shah*) 844
Jakes, K. A. Chemical and Physical Structure of Neps in Selected Nonwoven Fabrics (*Umble*) 644
Jha, N. K. Flame Retardant, Durable Press Finishes for Cotton and Polyester/Cellulosic Blends (*Bajaj, Chakrapani*) 619
Effect of Hardness Ions on the Flammability of Phosphorylated and Aftertreated Polyester/Viscose Blend Fabrics (*Bajaj, Chakrapani, Jain*) 854
Johnson, Robert F. Assessment of Flammability Hazard and its Relationship to Price for Women's Nightgowns (*Norton, Jordan*) 748
Jones, Leslie N. Osmium Staining of Beta-Layers Within the Cell Membrane Complex of Wool-Butadiene Copolymers (*Evans, Russell*) 696
Jones, Richard I. Electrical Stimulation of Fabric Filtration Part IV: Enhancement by Particle Precharging (*Lamb, Lee*) 308
Electrical Stimulation of Fabric Filtration Part VI: Mechanisms of Pressure Drop Reduction with a Lightning Rod Precharger (*Lamb*) 566
Jordan, Kenneth A. Assessment of Flammability Hazard and its Relationship to Price for Women's Nightgowns (*Norton, Johnson*) 748

Kabir, Mohammad Gel Permeation Characteristics of Jute and Cotton (*Bertoniere, Rowland, Rahman*) 434
Kalyanaraman, A. R. Aging and Fall in X-Ray Orientation of Cellulosic Fibers 354
An Electronic Fabric Stiffness Meter—Performance Evaluation with the Known Instruments (*Sivaramakrishnan*) 479
Kamal, M. M. Selected Single Fiber Mechanical Properties of Different *Gossypium Barbadense* Cotton Varieties (*Zeronian, Ellison, Hyer*) 343
Kandil, S. H. Liquid Ammonia and Caustic Mercerization of Cotton Fibers Using X-Ray, Infrared, and Sorption Measurements (*Saafan, Habib*) 863
Kang, Tae Jin Stretch Mercerization of Cotton Fibers Part I: Fiber and Yarn Properties (*Kim, Seyam, El-Shiekh*) 325
Stretch Mercerization of Cotton Fibers Part II: Fabric Properties (*Kim, Seyam, El-Shiekh*) 370
Kasturia, N. Dye Diffusion in Poly(ethylene Terephthalate) Fibers (*Gupta, Gupta, Rajan*) 54
Khan, Samina Production and Performance of Wool Blend Fabrics Composed of Yarns Spun on the Cotton System (*Lupton*) 82
Kim, Charles J. Sensory and Physical Hand Properties of Inherently Flame-Retardant Sleepwear Fabrics (*Piromthamsiri*) 61
Kim, Yong Ku Stretch Mercerization of Cotton Fibers Part I: Fiber and Yarn Properties (*Kang, Seyam, El-Shiekh*) 325
Stretch Mercerization of Cotton Fibers Part II: Fabric Properties (*Kang, Seyam, El-Shiekh*) 370
Tensile Behavior of Twisted Hybrid Fibrous Structures Part I: Theoretical Investigation Part II: Experimental Studies (*El-Shiekh*) 526
Kimura, Hirobumi Effect of Counterions and Ureas on Adsorption of Direct Dye on Cellulose (*Nango, Ohta, Shinmen, Kuroki*) 598
King, Walter D. Effect of Drying Rate on the Location of Durable Press Reagents in Fabric (*Bertoniere, Rowland*) 50
Reagent Migration in Fabric Thickness in Pad-Dry-Cure Finishing (*Rowland, Bertoniere*) 318
Kissa, Erik Tinctorial Efficacy of Dyes in Polyester Fibers 497
Klotz, M.-L. Resistance of Keratin to Pronase (*Greven, Zahn*) 134
Kothari, V. K. Stability of Air Textured Yarns (*Sengupta, Roy*) 125
Krishna Iyer, K. R. Sonic Modulus of Cotton Yarn and Its Relationship with Recovery Parameters (*Hussain, Patil*) 761
Fine Structural Features of Swollen and Stretched Normal Viscose Rayon Filaments (*Sreenivasan, Aravindanath, Patil, Sundaram*) 775
Krucińska, I. A Probabilistic Model of Fiber Distribution in Yarn Surface as a Criterion of Quality (*Żurek*) 504
Kumar, Raj Analysis of Fiber Blends III: Studies on Ternary Fiber Mixtures 136
Effect of Humidity on Soiling Behavior of Textiles (*Dave, Srivastava*) 585
Kuroki, Nobuhiko Effect of Counterions and Ureas on Adsorption of Direct Dye on Cellulose (*Nango, Ohta, Kimura, Shinmen*) 598
Kurose, Akio Thermal Stabilities of Ni(II) Partially Phosphorylated Polyvinyl Alcohol Complexes (*Shirai, Shimizu, Hojo*) 277

Lamb, George E. R. Electrical Stimulation of Fabric Filtration Part IV: Enhancement by Particle Precharging (*Jones, Lee*) ... 308
Electrical Stimulation of Fabric Filtration Part V: Model for Pressure Drop Reduction (*Morris, Saville*) ... 403
Electrical Stimulation of Fabric Filtration Part VI: Mechanisms of Pressure Drop Reduction with a Lightning Rod Precharger (*Jones*) ... 566
Latta, Bruce M. Improved Tactile and Sorption Properties of Polyester Fabrics Through Caustic Treatment ... 766
Lee, William B. Electrical Stimulation of Fabric Filtration Part IV: Enhancement by Particle Precharging (*Lamb, Jones*) ... 308
Leeder, J. D. Effects of Polar Organic Solvents on the Abrasion Resistance of Wool Fabric (*Feldtman*) ... 26
Lewis, D. M. Evaluation of a Series of Reactive Ionic, Nonionic, and Hydrophobic Compounds as Antistatic Agents for Wool (*Pailthorpe*) ... 279
Lindenmeyer, P. H. Reply to "Are Dissipative Structures Formed in the Fiber Formation Process?" ... 131
Logan, R. I. Machine-Washable, Flame Retardant Treated Wool—Improvements to the Combined Sirolan and Zirpro Treatments (*Gordon, White*) ... 559
Louis, Gain L. A Wool/Cotton Blend Fabric Made with Scoured Wool Processed Through the Carding Cleaner (*Bel*) ... 850
Lunney, H. W. M. Reply to "Comments on 'Distribution of Fiber Diameter in Wool Tops' " ... 689
Lupton, Christopher J. Production and Performance of Wool Blend Fabrics Composed of Yarns Spun on the Cotton System (*Khan*) ... 82
Ly, Nhan G. Bending Rigidity and Hysteresis of Wool Worsted Yarn (*Denby*) ... 180

Madden, J. J. Performance of a High Velocity Pulse Jet Filter in a Wool Carbonizing Process (*Humphries, Miceli*) 237
Manich, A. Relation Between Twist and Abrasion Resistance of Rotor Spun Yarns Part II: Polyester and Blend Yarns (*Barella*) ... 314
Diameter and Hairiness of Ring and Rotor Polyester-Cotton Blended Spun Yarns (*Barella, Castro, Hunter*) 840
Marsh, Paul B. Further Counts of Bacteria on U.S. Commercial Raw Cotton Fiber (*Simpson*) ... 231
Marshall, R. C. Possible Identification of Specialty Fibers by Electrophoresis (*Zahn, Blankenburg*) ... 126
Mehta, P. N. A Survey and Comparison of Laboratory Test Methods for Measuring Wicking (*Harnett*) ... 471
Mehta, R. D. A Simple Method for Determining Blend Composition of Textiles ... 215
Miceli, M. Performance of a High Velocity Pulse Jet Filter in a Wool Carbonizing Process (*Humphries, Madden*) 237
Miles, L. W. C. Photostability of Jute Part II: Action of Singlet Oxygen Quenchers (*Abdullah*) ... 415
Miller, Bernard Physicochemical Properties of Sized Yarns Part I: Initial Studies (*Slauson, Rebenfeld*) ... 655
Spontaneous Transplanar Uptake of Liquids by Fabrics (*Tyomkin*) ... 706
Milligan, Brian Evaluation of the Effects of Temperature and UV-Absorber Treatments on the Photodegradation of Wool (*Holt*) ... 521
Mishra, Sachi Load-Elongation Properties of Filaments in a Multifilament Yarn (Datye) ... 408
Miyamoto, Takeaki Fibrillation of the Cortex of Merino Wool Fibers by Freezing-Thawing Treatment (*Ito, Sakabe, Inagaki*) ... 397
Morey, P. R. Variation of Microbial Contaminants in Classers' Raw Cottons (*Fischer, Sasser, Foarde, Attfield*) ... 188
Morris, B. A. Electrical Stimulation of Fabric Filtration Part V: Model for Pressure Drop Reduction (*Lamb, Saville*) 403
Morris, M. A. Soil Remaining on Fabrics after Laundering as Evaluated by Response Surface Methodology (*Prato*) 637
Mukherjee, A. K. Origin of Acidty in Jute Fiber (*Das, Das, Dutt*) ... 166
Surface Features of Jute Fiber Using Scanning Electron Microscopy (*Guha Roy, Mukhopadhyay*) ... 874
Mukhopadhyay, A. K. Surface Features of Jute Fiber Using Scanning Electron Microscopy (*Guha Roy, Mukherjee*) 874

Nadkarni, V. M. Identifying Critical Process Variables in Poly(ethylene Terephthalate) Melt Spinning (*Dutta*) 35
Using Poly(ethylene Terephthalate) Melt Spinning Simulation for Process Optimization (*Shenoy*) ... 778
Naik, S. G. Effect of Drawing of Poly(ethylene Terephthalate) Fiber on Molecular Orientation (*Bhat*) ... 868
Nango, Mamoru Effect of Counterions and Ureas on Adsorption of Direct Dye on Cellulose (*Ohta, Kimura, Shinmen, Kuroki*) ... 598
Nishimatsu, Toyonori Applying Factor Analysis to the Hand of Terry Fabrics ... 699
Norton, Marjorie J. T. Assessment of Flammability Hazard and Its Relationship to Price for Women's Nightgowns (*Johnson, Jordan*) ... 748

Obendorf, S. K. Residual Oily Soil Distribution on Polyester/Cotton Fabric After Laundering with Selected Detergents at Various Wash Temperatures (*Breen, Durnam*) 198
Ohta, Shozo Effect of Counterions and Ureas on Adsorption of Direct Dye on Cellulose (*Nango, Kimura, Shinmen, Kuroki*) ... 598
Olofsson, B. Fatigue of Aramid Cords in Conveyor Belts (*Fransson, Wiberger*) ... 247
Osczevski, R. J. Comments on "Wind Induced Transfer of Water Vapor and Heat Through Clothing" ... 687

Pailthorpe, M. T. Evaluation of a Series of Reactive Ionic, Nonionic, and Hydrophobic Compounds as Antistatic Agents for Wool (*Lewis*) ... 279
Patil, N. B. Extraneous Lattice in Regenerated Cellulose (*Sreenivasan, Bhama Iyer*) ... 119
Structure-Property Relations in Chemically Treated Cotton Fibers (*Chidambareswaran, Sreenivasan, Sundaram*) ... 682
Crystallization of Amorphous Cellulose (*Bhama Iyer, Sreenivasan, Chidambareswaran*) ... 732
Sonic Modulus of Cotton Yarn and Its Relationship with Recovery Parameters (*Hussain, Krishna Iyer*) ... 761
Fine Structural Features of Swollen and Stretched Normal Viscose Rayon Filaments (*Krishna Iyer, Sreenivasan, Aravindanath, Sundaram*) ... 775
Peters, D. Morphological Composition of the Cuticle from Chemically Treated Wool Part I: Calculating Endocuticle Content in Isolated Cuticle from the Results of Amino Acid Analysis (*Röper, Föhles, Zahn*) ... 139
Morphological Composition of the Cuticle from Chemically Treated Wool Part II: The Role of the Cuticle in Industrial Shrinkproofing Processes (*Röper, Föhles, Zahn*) ... 262
Phillips, B. M. An Analysis of Roll Wrap Formation (*Gregory, Wang*) ... 793
Phillips, D. G. Glass Transition Temperature of Wool as a Function of Regain (*Wortmann, Rigby*) ... 6
Piromthamsiri, K. Sensory and Physical Hand Properties of Inherently Flame-Retardant Sleepwear Fabrics (*Kim*) 61
Prato, H. H. Soil Remaining on Fabrics after Laundering as Evaluated by Response Surface Methodology (*Morris*) 637

Przygocki, Władysław Are Dissipative Structures Formed in the Fiber Formation Process? 128

Radhakrishnan, T. Estimation of Tensile Properties of Single Cotton Fibers from Load-Elongation Curves of Bundles (*Dhavan, Bhatt*) 549
Rahman, Abdur Gel Permeation Characteristics of Jute and Cotton (*Bertoniere, Rowland, Kabir*) 434
Rajan, V. V. P. Dye Diffusion in Poly(ethylene Terephthalate) Fibers (*Gupta, Gupta, Kasturia*) 54
Rebenfeld, Ludwig Physicochemical Properties of Sized Yarns Part I: Initial Studies (*Slauson, Miller*) 655
Reeves, Wilson A. Magnesium Chloride/Aluminum Dichlorhydroxide Mixed Catalyst for Low Energy Curing of Durable Press Fabrics with Low Formaldehyde Release (*Salleh*) 463
Reinhardt, Robert M. Scavengers and pH Control in Aftertreatments for Reducing Formaldehyde Release from Durable Press Cottons (*Daigle*) 98
Rigby, B. J. Glass Transition Temperature of Wool as a Function of Regain (*Wortmann, Phillips*) 6
Rivett, D. E. Catalytic Effect of Acetic Acid in the Reaction of a Polyamine with Wool (*Stapleton*) 47
Röper, K. Morphological Composition of the Cuticle from Chemically Treated Wool Part I: Calculating Endocuticle Content in Isolated Cuticle from the Results of Amino Acid Analysis (*Föhles, Peters, Zahn*) 139
Morphological Composition of the Cuticle from Chemically Treated Wool Part II: The Role of the Cuticle in Industrial Shrinkproofing Processes (*Föhles, Peters, Zahn*) 262
Rowland, Stanley P. Effect of Drying Rate on the Location of Durable Press Reagents in Fabric (*Bertoniere, King*) 50
Applying Stepwise Multiple Regression Analysis to the Reaction of Formaldehyde with Cotton Cellulose (*Gonzales*) 157
Reagent Migration in Fabric Thickness in Pad-Dry-Cure Finishing (*Bertoniere, King*) 318
Gel Permeation Characteristics of Jute and Cotton (*Bertoniere, Kabir, Rahman*) 434
Differentiation of Catalyst Types in the Formaldehyde-Cotton Cellulose Reaction (*Gonzales*) 820
Roy, A. K. Stability of Air Textured Yarns (*Sengupta, Kothari*) 125
Russell, Ian M. Osmium Staining of Beta-Layers Within the Cell Membrane Complex of Wool-Butadiene Copolymers (*Evans, Jones*) 696

Saafan, A. A. Liquid Ammonia and Caustic Mercerization of Cotton Fibers Using X-Ray, Infrared, and Sorption Measurements (*Kandil, Habib*) 863
Saito, Masako Dispersion and Polar Force Components of Surface Tension of Oily Soils (*Yabe*) 18
Sakabe, Hiroshi Fibrillation of the Cortex of Merino Wool Fibers by Freezing-Thawing Treatment (*Ito, Miyamoto, Inagaki*) 397
Salhotra, K. R. Loss in Fiber Tenacity During Separation in Rotor Spinning (*Chattopadhyay*) 194
Salleh, Naimah M. Magnesium Choloride/Aluminum Dichlorhydroxide Mixed Catalyst for Low Energy Curing of Durable Press Fabrics with Low Formaldehyde Release (*Reeves*) 463
Sampson, Arthur J. Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part II: Bond Breaking (*Britton, Gettys*) 1
Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part III: Fabric Failure (*Britton, Gettys*) 425
Sasser, P. E. Variation of Microbial Contaminants in Classers' Raw Cottons (*Morey, Fischer, Foarde, Attfield*) 188
Saville, D. A. Electrical Stimulation of Fabric Filtration Part V: Model for Pressure Drop Reduction (*Morris, Lamb*) 403
Sawyer, L. C. Improved Comfort Polyester Part II: Mechanical and Surface Properties (*Yoon, Buckley*) ... 357
Schultz, D. C. Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Yoon, Buckley, Evins, Averell, Jackson, Becker, Booker, Hollies*) 447
Schwartz, Peter Effect of Jamming on Seam Pucker in Plain Woven Fabrics 32
Complex Triaxial Fabrics—Cover, Flexural Rigidity, and Tear Strength 581
Sengupta, A. K. Effect of Moisture Content on Stress Ageing of Nylon 6 (*Verma, Deopura*) 92
Stability of Air Textured Yarns (*Kothari, Roy*) 125
Structure of Fiber Assembly During Yarn Formation in Rotor Spinning (*Sreenivasa Murthy*) 692
Seyam, A. M. Stretch Mercerization of Cotton Fibers Part I: Fiber and Yarn Properties (*Kim, Kang, El-Shiekh*) 325
Stretch Mercerization of Cotton Fibers Part II: Fabric Properties (*Kim, Kang, El-Shiekh*) 370
Shah, C. D. Mechanism of Light Fading of Azo Dyes on Polyvinyl Chloride and Poly(ethylene Terephthalate) (*Jain*) 321
Studies on n-Butanol Assisted Dyeing of Lanasol (Acid Reactive) Dyes on Nylon 66 (*Jain*) 485
Light Fading of Solubilized Vat Dyes on Nylon 66 Aftertreated with Hydroquinone (*Jain*) 552
Sulphonic Acid Groups in Monoazo Acid Dyes and Their Effect on Lightfastness on Nylon 66 (*Jain*) 630
Dyeing of Modified Polypropylene—Cationic Dyes on Brominated Polypropylene (*Jain*) 742
Effect of Hydroquinone on Light-Induced Degradation of Nylon 6 Dyed with Solubilized Vat Dyes (*Jain*) 844
Shalev, Itzhak Protective Fabrics: A Comparison of Laboratory Methods for Evaluating Thermal Protective Performance in Convective/Radiant Exposures (*Barker*) 648
Shenoy, A. V. Using Poly(ethylene Terephthalate) Melt Spinning Simulation for Process Optimization (*Nadkarni*) 778
Shepard, Charles L. SRRC Carding Cleaner for Cleaning and Shortening Wool Fiber 613
Shimizu, Fukashi Thermal Stabilities of Ni(II) Partially Phosphorylated Polyvinyl Alcohol Complexes (*Kurose, Shirai, Hojo*) 277
Shin, Dong-Hwa Experimental Detection of Capillary Adhesion Forces Between Single Textile Fibers (*Barker*) 590
Shinmen, Yuji Effect of Counterions and Ureas on Adsorption of Direct Dye on Cellulose (*Nango, Ohta, Kimura, Kuroki*) 598
Shirai, Hirofusa Thermal stabilities of Ni(II) Partially Phosphorylated Polyvinyl Alcohol Complexes (*Kurose, Shimizu, Hojo*) 277
Simpson, Marion E. Further Counts of Bacteria on U.S. Commercial Raw Cotton Fiber (*Marsh*) 231
Sivaramakrishnan, A. An Electronic Fabric Stiffness Meter—Performance Evaluation with the Known Instruments (*Kalyanaraman*) 479
Slauson, Sherilyn D. Physicochemical Properties of Sized Yarns Part I: Initial Studies (*Miller, Rebenfeld*) ... 655
Sreenivasa Murthy, H. V. Structure of Fiber Assembly During Yarn Formation in Rotor Spinning (*Sengupta*) 692
Sreenivasan, S. Extraneous Lattice in Regenerated Cellulose (*Bhama Iyer, Patil*) 119
Structure-Property Relations in Chemically Treated Cotton Fibers (*Chidambareswaran, Patil, Sundaram*) .. 682
Crystallization of Amorphous Cellulose (*Bhama Iyer, Chidambareswaran, Patil*) 732
Fine Structural Features of Swollen and Stretched Normal Viscose Rayon Filaments (*Krishna Iyer, Aravindanath, Patil, Sundaram*) 775
Srivastava, H. C. Effect of Humidity on Soiling Behavior of Textiles (*Kumar, Dave*) 585
Stanley-Boden, Paul Fiber Breakage During Carding Part II: Evaluation (*Wood, Carnaby*) 419

Stanton, J. H. Distribution of Fiber Diameter in Greasy Wool Sale Lots Part I: Standard Deviation (Whiteley, Thompson, Welsman) 459
Stapleton, I. W. Catalytic Effect of Acetic Acid in the Reaction of a Polyamine with Wool (*Rivetl*) 47
Steenken, I. Determining the Dehydroalanine and Amide Contents of Wool as a Means of Estimating Damage Caused by Alkaline Treatments (*Zahn*) 429
Stuart, I. M. Heat Transfer Through Fiber Beds by Radiation with Shading and Conduction (*Holcombe*) 149
Reply to "Comments on 'Wind Induced Transfer of Water Vapor and Heat Through Clothing' " (*Denby*) 687
Subramanian, D. R. Scanning Electron Microscopy Studies on Nylon 6 Filaments Subjected to Drawing and Swelling Treatment (*Venkataraman, Bhat*) 331
Sundaram, V. Structure-Property Relations in Chemically Treated Cotton Fibers (*Chidambareswaran, Sreenivasan, Patil*) 682
Fine Structural Features of Swollen and Stretched Normal Viscose Rayon Filaments (*Krishna Iyer, Sreenivasan, Aravindanath, Patil*) 775
Suryadevara, Jogendra Determination of Poisson's Ratio in Thermally Bonded Nonwoven Fabrics (*Goswami, Vigo*) 391

Tester, David Fracture Planes of Fibers from Martindale Abraded Wool Fabrics 75
Thompson, Barbara Distribution of Fiber Diameter in Greasy Wool Sale Lots Part I: Standard Deviation (*Whiteley, Stanton, Welsman*) 459
Tyomkin, I. Spontaneous Transplanar Uptake of Liquids by Fabrics (*Miller*) 706

Umble, B. A. Chemical and Physical Structure of Neps in Selected Nonwoven Fabrics (*Jakes*) 644
Urbanik, A. Comment on "Microspectrophotometric Study of Ozone Fading of Disperse Dyes in Nylon" 356

Vail, Sidney L. Chemical and Physical Properties of Cotton Modified by N-Methylol Agents Part VI: Influence of Cellulose on Reaction Paths and Rates Involving Intermediate Oxonium-Carbonium Ions 270
Chemical and Physical Properties of Cotton Modified by N-Methylol Agents Part VII: Influence of Cellulose on Reaction Paths and Rates Involving Intermediate Immonium-Carbonium Ions (*Xiang*) 783
van der Linden, H. J. L. J. Nonstationary Mass Transfer in Open-Width Washing Machines (*Groot Wassink, Vos*) 77
Varma, D. S. Coir Fibers Part I: Effect of Physical and Chemical Treatments on Properties (*Varma, Varma*) 827
Varma, I. K. Coir Fibers Part I: Effect of Physical and Chemical Treatments on Properties (*Varma, Varma*) 827
Varma, Manika Coir Fibers Part I: Effects of Physical and Chemical Treatments on Properties (*Varma, Varma*) 827
Venkataraman, A. Scanning Electron Microscopy Studies on Nylon 6 Filaments Subjected to Drawing and Swelling Treatment (*Subramanian, Bhat*) 331
Verma, Anu Effect of Moisture Content on Stress Ageing of Nylon 6 (*Deopura, Sengupta*) 92
Vigo, Tyrone L. Determination of Poisson's Ratio in Thermally Bonded Nonwoven Fabrics (*Goswami, Suryadevara*) 391
Vos, H. J. Nonstationary Mass Transfer in Open-Width Washing Machines (*van der Linden, Groot Wassink*) 77

Walsh, William K. Mechanisms of Transient Moisture Transport Between Fabrics (*Adler*) 334
Wang, C. B. An Analysis of Roll Wrap Formation (*Gregory, Phillips*) 793
Warner, J. J. Assessing the Wool Characteristics and Liquor System Performance of an Optimized Lo-flo Scouring Plant (*Anderson, Bateup*) 833
Weigmann, Hans-Dietrich Surface Characterization of Bimorphic PET Filaments by Inverse Gas Chromatography (*Góźdź*) 9
Weller, H. W., Jr. Improved Accuracy with the Shirley Analyzer 108
Welsman, Sandra J. Distribution of Fiber Diameter in Greasy Wool Sale Lots Part I: Standard Deviation (*Whiteley, Thompson, Stanton*) 459
White, M. A. Machine-Washable, Flame Retardant Treated Wool—Improvements to the Combined Sirolan and Zirpro Treatments (*Gordon, Logan*) 559
Whiteley, K. J. Distribution of Fiber Diameter in Greasy Wool Sale Lots Part I: Standard Deviation (*Thompson, Stanton, Welsman*) 459
Wiberger, B. Fatigue of Aramid Cords in Conveyor Belts (*Fransson, Olofsson*) 247
Wis-Surel, G. Directional Triboelectric Effect in Keratin Fibers (*Jachowicz, Wolfram*) 492
Wolfram, L. J. Directional Triboelectric Effect in Keratin Fibers (*Jachowicz, Wis-Surel*) 492
Wood, Errol J. Fiber Breakage During Carding Part II: Evaluation (*Stanley-Boden, Carnaby*) 419
Wortmann, F. J. Glass Transition Temperature of Wool as a Function of Regain (*Rigby, Phillips*) 6

Xiang, Zhou Chemical and Physical Properties of Cotton Modified by N-Methylol Agents Part VII: Influence of Cellulose on Reaction Paths and Rates Involving Intermediate Immonium-Carbonium Ions (*Vail*) ... 783

Yabe, Akihiko Dispersion and Polar Force Components of Surface Tension of Oily Soils (*Saito*) 18
Yoon, H. N. Improved Comfort Polyester Part I: Transport Properties and Thermal Comfort of Polyester/Cotton Blend Fabrics (*Buckley*) 289
Improved Comfort Polyester Part II: Mechanical and Surface Properties (*Sawyer, Buckley*) 357
Improved Comfort Polyester Part III: Wearer Trials (*DeMartino, Buckley, Evins, Averell, Jackson, Schultz, Becker, Booker, Hollies*) 447
Improved Comfort Polyester Part IV: Analysis of the Four Wearer Trials (*Hollies, DeMartino, Buckley, Becker, Jackson*) 544
Improved Comfort Polyester Part V: Results from Two Subjective Wearer Trials and Their Correlation with Laboratory Tests (*DeMartino, Buckley*) 602

Zahn, H. Possible Identification of Specialty Fibers by Electrophoresis (*Marshall, Blankenburg*) 126
Resistance of Keratin to Pronase (*Greven, Klotz*) 134
Morphological Composition of the Cuticle from Chemically Treated Wool Part I: Calculating Endocuticle Content in Isolated Cuticle from the Results of Amino Acid Analysis (*Röper, Föhles, Peters*) 139
Morphological Composition of the Cuticle from Chemically Treated Wool Part II: The Role of the Cuticle in Industrial Shrinkproofing Processes (*Röper, Föhles, Peters*) 262
Determining the Dehydroalanine and Amide Contents of Wool as a Means of Estimating Damage Caused by Alkaline Treatments (*Steenken*) 429
Zeronian, S. H. Selected Single Fiber Mechanical Properties of Different *Gossypium Barbadense* Cotton Varieties (*Kamal, Ellison, Hyer*) 343
Flexural Fatigue Life of Chemically Modified Wool Fibers (*Ellison*) 690
Żurek, W. A Probabilistic Model of Fiber Distribution in Yarn Surface as a Criterion of Quality (*Krucińska*) 504

SUBJECT INDEX

Abrasion
Martindale: fracture planes of fibers from wool fabrics *Tester* ... 75
of sized yarns using TRI cyclic tensile abrader: physicochemical properties: initial studies *Slauson, Miller, Rebenfeld* ... 655
resistance of wool fabric: effects of polar organic solvents *Feldtman, Leeder* ... 26
resistance: relation between twist and abrasion resistance of rotor spun yarns: polyester and blend yarns *Barella, Manich* ... 314
Acrylic Fibers
dyed with basic dyes: thermodynamic features *Alberti, DeGiorgi* ... 105
Adhesion
capillary adhesion forces between single textile fibers: experimental detection of *Barker, Shin* ... 590
Ageing
stress: effect of moisture content on nylon 6 *Verma, Deopura, Sengupta* ... 92
Air Flow
porosity: a new method for pore structure analysis *Hassenboehler* ... 252
Air Pollution
fabric filtration: electrical stimulation: enhancement by particle precharging *Lamb, Jones, Lee* ... 308
Amino Acids
analysis of isolated cuticle: endocuticle content of chemically treated wool: morphological composition *Röper, Föhles, Peters, Zahn* ... 139
to estimate wool damage: dehydroalanine and amide content as estimates of damage of alkaline treatments *Steenken, Zahn* ... 429
Analysis
factor: applied to the hand of terry fabrics *Nishimatsu* 699
multiple stepwise regression: applied to reaction of formaldehyde with cotton cellulose *Gonzales, Rowland* 157
Antistatics
for wool: evaluation of a series of reactive ionic, nonionic, and hydrophobic compounds *Lewis, Pailthorpe* ... 279
Apparel
children's sleepwear: sensory and physical hand properties of inherently FR fabrics *Kim, Piromthamsiri* ... 61
dermatological problems: chemicals and textiles: problems related to fiber content and dyes *Hatch* ... 664
dermatological problems: chemicals and textiles: problems related to finishes *Hatch* ... 721
flammability hazard: relationship to price for women's nightgowns *Norton, Johnson, Jordan* ... 748
improved comfort polyester: results from two subjective wearer trials and their correlation with laboratory tests *DeMartino, Yoon, Buckley* ... 602
transfer of water vapor and heat: wind induced: comments on *Osczevski* ... 687
reply to comments *Stuart, Denby* ... 687

Bacteria
on raw cotton fiber: further counts *Simpson, Marsh* .. 231
Bending
electronic fabric stiffness meter: performance evaluation with known instruments *Kalyanaraman, Sivaramakrishnan* ... 479
of complex triaxial fabrics: cover, flexural rigidity, and tear strength *Schwartz* ... 581
rigidity and hysteresis: wool worsted yarns *Ly, Denby* 180
Birefringence
of multiple skin polymer fibers: measuring refractive indices from interference patterns *Hamza, Fouda, Hashish, El-Farahaty* ... 802
Blends
composition of: a simple method for determining in textiles *Mehta* ... 215
nonwovens: chemical and physical structure of neps in selected fabrics *Jakes, Umble* ... 644
polyester/cotton and others: improved comfort polyester: wearer trials *DeMartino, Yoon, Buckley, Evins, Averell, Jackson, Schultz, Becker, Booker, Hollies* ... 447
ternary fiber mixtures: analysis of *Kumar* ... 136
wool-cotton fabric: made with scoured wool processed through the SRRC carding cleaner *Bel, Louis* 850
wool with cotton and polyester: production and performance of wool blend fabrics made of yarns spun on the cotton system *Lupton, Khan* ... 82
Bonding
breaking of: in nonwoven fabrics: computer simulation of mechanical properties *Britton, Sampson, Gettys* 1
thermal: determination of Poisson's ratio in nonwoven fabrics *Goswami, Suryadevara, Vigo* ... 391
Byssinosis
comparison of cotton dusts: sonically separated fine dust (<20 μm) and respirable (vertical elutriator) dusts *Fornes, Gilbert* ... 68
raw cotton fiber: further counts of bacteria *Simpson, Marsh* ... 231

Capillarity
adhesion forces: between single textile fibers: experimental detection of *Barker, Shin* ... 590
Carbonization
of wool: SRRC carding cleaner for cleaning and shortening wool *Shepard* ... 613
Carding
fiber breakage during: theory *Carnaby* ... 366
fiber breakage during: evaluation *Wood, Stanley-Boden, Carnaby* ... 419
Catalysis
general acid: effect of acetic acid in reaction of a polyamine with wool *Rivett, Stapleton* ... 47
Catalysts
in formaldehyde-cotton cellulose reaction: differentiation of types *Gonzales, Rowland* ... 820
magnesium chloride/aluminum dichlorhydroxide mixed: for low energy curing of DP fabrics with low formaldehyde release *Reeves, Salleh* ... 463
Cellulose
amorphous: crystallization of in native and thrice-mercerized cotton *Bhama Iyer, Sreenivasan, Chidambareswaran, Patil* ... 732
crosslinking reactions with: chemical and physical properties of cotton modified by N-methylol agents: influence of cellulose on reaction paths and rates involving intermediate oxonium-carbonium ions *Vail* ... 270
direct dyes on: effect of counterions and ureas on adsorption *Nango, Ohta, Kimura, Shinmen, Kuroki* ... 598
influence on reaction paths and rates involving intermediate immonium-carbonium ions: chemical and physical properties of cotton modified by N-methylol agents *Vail, Xiang* ... 783
reaction with formaldehyde: applying stepwise multiple regression analysis *Gonzales, Rowland* ... 157

regenerated: extraneous lattice *Sreenivasan, Bhama Iyer, Patil* ... 119
Cellulosics
coir fibers: effect of physical and chemical treatments on properties *Varma, Varma, Varma* ... 827
fibers: aging and fall in x-ray orientation *Kalyanaraman* 354
Centrifuging
of wool fibers: fibrillation of the cortex by freezing-thawing treatment: SEM and TEM studies *Ito, Sakabe, Miyamoto, Inagaki* ... 397
Chromatography
inverse gas: surface characterization of bimorphic PET filaments *Góźdź, Weigmann* ... 9
Cleaning
and shortening of wool fiber: SRRC carding cleaner *Shepard* ... 613
of wool with SRRC carding cleaner: wool/cotton blend fabric made with scoured wool processed through carding cleaner *Bel, Louis* ... 850
Coir Fibers
properties of: effect of physical and chemical treatments *Varma, Varma, Varma* ... 827
Comfort
improvements in polyester: transport properties and thermal comfort of polyester/cotton blend fabrics *Yoon, Buckley* ... 289
improvements in polyester: mechanical and surface properties *Yoon, Sawyer, Buckley* ... 357
improvements in polyester: wearer trials *DeMartino, Yoon, Buckley, Evins, Averell, Jackson, Schultz, Becker, Booker, Hollies* ... 447
improvements in polyester: analysis of four wearer trials *Hollies, DeMartino, Yoon, Buckley, Becker, Jackson* 544
improvements in polyester: results from two subjective wearer trials and their correlation with laboratory tests *DeMartino, Yoon, Buckley* ... 602
of cellulosics: mechanisms of moisture transport between fabrics *Adler, Walsh* ... 334
of polybenzimidazole fiber: properties of: wearer evaluations *DeMartino* ... 516
of polyester: improved tactile and sorption properties through caustic treatment *Latta* ... 766
stiffness of fabrics: electronic fabric stiffness meter: performance evaluation with known instruments *Kalyanaraman, Sivaramakrishnan* ... 479
Computer Simulation
of mechanical properties: nonwoven fabrics: bond breaking *Britton, Sampson, Gettys* ... 1
of nonwovens: mechanical properties: fabric failure *Britton, Sampson, Gettys* ... 425
Conservation
of water and energy: assessing wool characteristics and liquid system performance of optimized Lo-flo scouring plant *Anderson, Bateup, Warner* ... 833
Contaminants
in merino wool: protein contaminant layer: characteristics of *Anderson, Christoe* ... 378
in raw wool: scouring protein contaminants: single bowl laboratory studies *Christoe* ... 713
in scoured wool: relationship between whiteness and level of residual nitrogen-containing contaminants *Bateup* 299
Copolymers
in wool: osmium staining of beta-layers within the cell membrane complex of wool-butadiene copolymers *Evans, Russell, Jones* ... 696
Cords
aramid: fatigue in conveyor belts *Fransson, Wiberger, Olofsson* ... 247
Cotton
and jute: gel permeation characteristics *Bertoniere, Rowland, Kabir, Rahman* ... 434
and polyester blends: improved comfort: transport properties and thermal comfort *Yoon, Buckley* ... 289
and polyester blends: residual oily soil distribution after laundering with selected detergents at various wash temperatures *Breen, Durnam, Obendorf* ... 198
face down weaving of: effect on fabric properties *Gu* .. 736
formaldehyde cellulose reaction: differentiation of catalyst types *Gonzales, Rowland* ... 820
FR and DP finishes for: and for polyester/cellulosic blends *Bajaj, Chakrapani, Jha* ... 619
lint: improved accuracy with the Shirley analyzer *Weller* 108
mercerization of: as related to its bilateral structure *Aravindanath* ... 883
modified by N-methylol agents: chemical and physical properties: influence of cellulose on reaction paths and rates involving intermediate oxonium-carbonium ions *Vail* ... 270
modified by N-methylol agents: chemical and physical properties: influence of cellulose on reaction paths and rates involving intermediate immonium/carbonium ions *Vail, Xiang* ... 783
raw: further counts of bacteria on U.S. commercial cottons *Simpson, Marsh* ... 231
raw: variation of microbial contaminants: levels of endotoxins *Morey, Fischer, Sasser, Foarde, Attfield* 188
reaction of formaldehyde with cellulose: stepwise multiple regression analysis *Gonzales, Rowland* ... 157
recrystallization behavior: amorphous cellulose *Bhama Iyer, Sreenivasan, Chidambareswaran, Patil* ... 732
short-staple spinning system: production and performance of wool blend fabrics composed of yarns spun on the cotton system *Lupton, Khan* ... 82
soiling behavior: effect of humidity: also crosslinked cotton and polyester *Kumar, Dave, Srivastava* ... 585
spinning of: effect of combined dust control/antislip additives on *Abbott* ... 413
washed: potassium as a new marker for *Domelsmith, Berni* ... 210
Cotton Dust
characterization: comparison of sonically separated fine dust (<20 μm) with respirable (vertical elutriator) dusts *Fornes, Gilbert* ... 68
toxicity of calcium oxalate crystals: occurrence in cotton plants and cotton-related dusts *Goynes, Ingber, Berni* 635
Cotton Fabrics
durable press: effect of drying rate on location of DP reagents *Bertoniere, King, Rowland* ... 50
durable press: scavengers and pH control in aftertreatments for reducing formaldehyde release *Reinhardt, Daigle* 98
flammability of: effect of selected inorganic salts on: untreated cotton in verticle test and oxygen index test *Hsieh, Hardin* ... 171
foam finishing of: influence of resin add-on and co-applied water *Brown, Bryant* ... 807
knits from treated yarn *Frick, Harper* ... 352
Cotton Fibers
chemically treated: structure-property relations *Chidambareswaran, Sreenivasan, Patil, Sundaram* ... 682
developing: reversal frequencies in *Hebert, Boylston* .. 23
liquid ammonia and caustic mercerization of using x-ray, infrared, and sorption measurements *Saafan, Kandil, Habib* ... 863
mechanical properties: selected single fibers from *Gossypium barbadense* varieties *Kamal, Zeronian, Ellison, Hyer* ... 343
stretch mercerization of: fiber and yarn properties *Kim, Kang, Seyam, El-Shiekh* ... 325
stretch mercerization of: fabric properties *Kim, Kang, Seyam, El-Shiekh* ... 370

tensile properties of: estimation of for single cotton fibers from load elongation curves of bundles *Dhavan, Bhatt, Radhakrishnan* 549
washed: changes in fiber surfaces *Goynes, Carra, Berni* 242
Cotton Yarn
sonic modulus of: relationship with recovery parameters *Hussain, Krishna Iyer, Patil* 761
Crimping
of filaments: load elongation behavior *Hong, Gupta* .. 694
Crosslinking
acetal agents: chemical and physical properties of cotton modified by N-methylol agents: influence of cellulose on reaction paths and rates involving intermediate oxonium-carbonium ions *Vail* 270
Crystallinity
of mercerized cotton fibers: liquid ammonia and caustic mercerization using x-ray, infrared, and sorption measurements *Saafan, Kandil, Habib* 863
Curing
low energy: magnesium chloride/aluminum dichlorhydroxide mixed catalyst for DP fabrics with low formaldehyde release *Reeves, Salleh* 463

Degradation
of alkaline treated wool: determining dehydroalanine and amide content to estimate damage *Steenken, Zahn* 429
Detergency
at various wash temperatures: residual oily soil distribution on polyester/cotton fabric after laundering *Breen, Durnam, Obendorf* 198
oily soils: dispersion and polar force components of surface tension for fatty acids, alcohols, triglycerides *Saito, Yabe* 18
Drawing
of PET fibers: effect on molecular orientation *Bhat, Naik* 868
Durable Press
cotton fabrics: scavengers and pH control in aftertreatments for reducing formaldehyde release *Reinhardt, Daigle* 98
fabrics with low formaldehyde release: magnesium chloride/aluminum dichlorhydroxide mixed catalyst for low energy curing *Reeves, Salleh* 463
finishes for blends: and flame retardant finishes for cotton and polyester/cellulosic blends *Bajaj, Chakrapani, Jha* 619
reagents in fabric: effect of drying rate on location *Bertoniere, King, Rowland* 50
Dust
control additives and antislip additives: effect on cotton spinning *Abbott* 413
from wool carbonizing process: performance of a high velocity pulse jet filter to control emissions *Humphries, Miceli, Madden* 237
Dyeing
chrome: effect on protection of wool against molten aluminium *Benisek, Edmondson* 214
of modified polypropylene: cationic dyes on brominated polypropylene *Shah, Jain* 742
on nylon 66: n-butanol assisted: Lanasol (acid reactive) dyes *Shah, Jain* 485
resist effect in polyester homopolymer during aqueous dyeing *Bhattacharjee* 438
with basic dyes: thermodynamic features in acrylic fiber dyeing *Alberti, DeGiorgi* 105
Dyes
azo: mechanism of light fading on polyvinyl chloride and PET *Shah, Jain* 321
chiral metallized azo: adsorption on natural fibers *Hutchinson, Bailar* 123
diffusion in PET fibers *Gupta, Gupta, Rajan, Kasturia* 54
in polyester fibers: tinctorial efficacy of: Kubelka-Munk values *Kissa* 497
monoazo acid: sulphonic acid groups in: effect on lightfastness on nylon 66 *Shah, Jain* 630
on cellulose: effect of counterions and ureas on adsorption of direct dye *Nango, Ohta, Kimura, Shinmen, Kuroki* 598
on nylon 6: effect of hydroquinone on light-induced degradation of solubilized vat dyes *Shah, Jain* 844
on nylon 66: light fading of solubilized vat dyes on nylon 66 aftertreated with hydroquinone *Shah, Jain* 552
toxicity of chemicals in textiles: dermatological problems related to fiber content and dyes *Hatch* 664

Elasticity
helically wrapped elastic core yarns: force extension behavior *Abbott* 204
of wool worsted yarns: bending rigidity and hysteresis *Ly, Denby* 180
Electrophoresis
to identify specialty fibers: mohair, cashmere, camel, alpaca, Vicuna, angora *Marshall, Zahn, Blankenburg* 126
two dimensional gel system: study of keratin's resistance to pronase *Greven, Klotz, Zahn* 134
Electrostatics
fabric filters: electrical stimulation: enhancement by particle precharging *Lamb, Jones, Lee* 308
in fabric filtration: electrical stimulation: model for pressure drop reduction *Morris, Lamb, Saville* 403
in fabric filtration: electrical stimulation: mechanism of pressure drop reduction with a lightning rod precharger *Lamb, Jones* 566
in spinning: ionization of atmospheric air under action of an electric field *Doğu* 111
Energy
conservation in fabric finishing: dynamic sorption of semistable foams: implications for textile foam application processes *Bryant* 217

Fabrics
protective: comparison of laboratory methods for evaluating thermal protective performance in convective/radiant exposures *Shalev, Barker* 648
stiffness of: electronic fabric stiffness meter: performance evaluation with known instruments *Kalyanaraman, Sivaramakrishnan* 479
stretch mercerization of cotton fibers: properties of fabrics *Kim, Kang, Seyman, El-Shiekh* 370
terry: applying factor analysis to the hand of terry fabrics *Nishimatsu* 699
transient moisture transport between: mechanism of *Adler, Walsh* 334
Fabric Esthetics
nonwovens: chemical and physical structure of neps in selected fabrics *Jakes, Umble* 644
sensory and physical hand properties of inherently FR sleepwear fabrics *Kim, Piromthamsiri* 61
Fabric Geometry
of plain woven fabrics: effect of jamming on seam pucker *Schwartz* 32
Fabric Properties
face down weaving: effect on 100% cotton *Gu* 736
Fading
of azo dyes: mechanism of light fading on polyvinyl chloride and PET *Shah, Jain* 321
of nylon 66: light fading of solubilized vat dyes aftertreated with hydroquinone *Shah, Jain* 552
ozone: of disperse dyes in nylon: microspectrophotometric study: comment on *Urbanik* 356
Fatigue
cyclic torsional: apparatus for characterizing behavior of single fibers *Duckett, Goswami* 43

flexural: life of chemically modified wool fibers *Ellison, Zeronian* 690
flexural: selected single fiber mechanical properties of different *Gossypium barbadense* cotton varieties *Kamal, Zeronian, Ellison, Hyer* 343
of aramid cords in conveyor belts *Fransson, Wiberger, Olofsson* 247

Fiber Content
as a function of flammability: relationship to price for women's nightgowns *Norton, Johnson, Jordan* 748

Fiber Geometry
diameter of wool: distribution of fiber diameter in greasy wool sale lots: standard deviation *Whiteley, Thompson, Stanton, Welsman* 459

Fiber Properties
of cotton fibers: stretch mercerization: also yarn properties *Kim, Kang, Seyam, El-Shiekh* 325

Fibers
breakage during carding: theory *Carnaby* 366
breakage during carding: evaluation *Wood, Stanley-Boden, Carnaby* 419
chemically modified wool: flexural fatigue life *Ellison, Zeronian* 690
chemically treated cotton: structure-property relations *Chidambareswaran, Sreenivasan, Patil, Sundaram* 682
distribution in yarn surface: probabilistic model of as a criterion of quality *Żurek, Krucińska* 504
distribution of diameter in wool tops: comments on *Gee* 689
reply to comments *Lunney* 689
fibrous beds: heat transfer by radiation with shading and conduction *Stuart, Holcombe* 149
illumination geometry of wool: image formation by fibers and fiber assemblies *Chudleigh* 813
jute: origin of acidity *Das, Das, Dutt, Mukherjee* 166
loss in tenacity during separation in rotor spinning *Salhotra, Chattopadhyay* 194
specialty: identification by electrophoresis of mohair, cashmere, camel, alpaca, vicuna, and angora rabbit *Marshall, Zahn, Blankenburg* 126
specialty: polybenzimidazole: comfort properties of *DeMartino* 516
subjected to cyclic torsional fatigue: apparatus for characterizing behavior of single fibers *Duckett, Goswami* 43
washed cotton: changes in fiber surfaces due to washing *Goynes, Carra, Berni* 242

Fiber Structure
of developing cotton: reversal frequencies in *Hebert, Boylston* 23
of PTE: are dissipative structures formed in the fiber formation process? *Przygocki* 128
reply *Lindenmeyer* 131

Filaments
continuous spinning of: analysis of roll wrap formation *Gregory, Phillips, Wang* 793
crimped: load elongation behavior *Hong, Gupta* 694
in a multifilament yarn: load elongation properties of *Datye, Mishra* 408
viscose rayon: fine structural features of swollen and stretched normal rayon *Krishna Iyer, Sreenivasan, Aravindanath, Patil, Sundaram* 775

Filters
high velocity pulse jet: performance of to control emissions in a wool carbonizing process *Humphries, Miceli, Madden* 237

Filtration
fabric: electrical stimulation of: enhancement of particle precharging *Lamb, Jones, Lee* 308
fabric: electrical stimulation of: model for pressure drop reduction *Morris, Lamb, Saville* 403
fabric: electrical stimulation of: mechanisms of pressure drop reduction with a lightning rod precharger *Lamb, Jones* 566

Finishes
toxicity of: chemicals and textiles: dermatological problems related to finishes *Hatch* 721

Finishing
conservation of energy in: dynamic sorption of semistable foams by fabrics: implications for textile foam application processes *Bryant* 217
of cotton: chemical and physical properties of cotton modified by N-methylol agents: influence of cellulose on reaction paths and rates involving intermediate immonium-carbonium ions *Vail, Xiang* 783
open-width washing machines: nonstationary mass transfer from moving fabric *van der Linden, Groot Wassink, Vos* 77
pad-dry-cure: reagent migration in fabric thickness *Rowland, Bertoniere, King* 318

Finishing Agents
foams: influence of resin add-on and co-applied water for cotton fabric *Brown, Bryant* 807

Flame Resistance
in rayon fabrics: performance characteristics and applications *Hettich* 382
protective fabrics: comparison of laboratory methods for evaluating thermal protective performance in convective/radiant exposures *Shalev, Barker* 648

Flame Retardants
aramid: a substitute for asbestos *Hillermeier* 575
for blends: and durable press finishes for cotton and polyester/cellulosic blends *Bajaj, Chakrapani, Jha* 619
for machine-washable wool: improvements to the combined Sirolan and Zirpro treatments *Gordon, Logan, White* 559
for wool: effect of chrome dyeing on protection against molten aluminium *Benisek, Edmondson* 214
in sleepwear: sensory and hand properties of inherently FR fabrics *Kim, Piromthamsiri* 61
Zirpro/BAP treatments: machine washable, FR, water, oil, petrol, and acid repellent wool *Benisek, Craven* ... 350

Flammability
of cotton: effect of selected inorganic salts on: untreated cotton in vertical test and oxygen index test *Hsieh, Hardin* 171
of polyester/viscose blends: effect of hardness ions: phosphorylated and aftertreated fabrics *Bajaj, Chakrapani, Jha, Jain* 854
relationship to price: women's nightgowns *Norton, Johnson, Jordan* 748

Foams
finishing of cotton fabric: influence of resin add-on and co-applied water *Brown, Bryant* 807
semistable: dynamic sorption by fabrics: implications for textile foam application processes *Bryant* 217

Formaldehyde
and cotton cellulose reaction: differentiation of catalyst types *Gonzales, Rowland* 820
reaction with cotton cellulose: stepwise multiple regression analysis *Gonzales, Rowland* 157

Formaldehyde Release
low release and energy conservation: magnesium chloride/aluminum dichlorhydroxide mixed catalyst for DP fabrics *Reeves, Salleh* 463
reduction of: scavengers and pH control in aftertreatments of DP cottons *Reinhardt, Daigle* 98

Gaseous Ionization
electrostatic spinning: ionization of atmospheric air under action of an electric field *Doğu* 111

Glass Transition Temperature
of wool: function of regain: wrinkle recovery *Wortmann, Rigby, Phillips* 6

Hand
and sensory properties of inherently FR sleepwear fabrics *Kim, Piromthamsiri* 61
of terry fabrics: applying factor analysis to *Nishimatsu* 699
Heat Resistance
aramid: a substitute for asbestos *Hillermeier* 575
protective fabrics: comparison of laboratory methods for evaluating thermal protective performance in convective/radiant exposures *Shalev, Barker* 648
Heat Transfer
through fiber beds by radiation with shading and conduction *Stuart, Holcombe* 149
wind induced: and water vapor through clothing: comments on *Osczevski* 687
reply to comments *Stuart, Denby* 687
Humidity
effect on adhesion: experimental detection of capillary adhesion forces between single textile fibers *Barker, Shin* 590
effect on soiling: behavior of textiles *Kumar, Dave, Srivastava* 585
Hydrolysis
alkaline: improved tactile and sorption properties of polyester fabrics through caustic treatment *Latta* 766

Irradiation
of wool: controlled temperature irradiator for photodegradation: UV absorber treatments *Holt, Milligan* 521

Jute
and cotton: gel permeation characteristics *Bertoniere, Rowland, Kabir, Rahman* 434
fibers: origin of acidity *Das, Das, Dutt, Mukherjee* ... 166
photostability of: action of singlet oxygen quenchers *Abdullah, Miles* 415
surface features: SEM study *Guha Roy, Mukopadhyay, Mukherjee* 874

Keratin
chemically treated wool cuticle: morphological composition: role of cuticle in industrial shrinkproofing processes *Röper, Föhles, Peters, Zahn* 262
directional triboelectric effects: electrochemical potential of contacting surfaces of fibers *Jachowicz, Wis-Surel, Wolfram* 492
endocuticle content in isolated cuticle: amino acid analysis of chemically treated wool: morphological composition *Röper, Föhles, Peters, Zahn* 139
resistance to pronase: gel electrophoresis study *Greven, Klotz, Zahn* 134
Knitted Fabrics
cotton fabric from treated yarn *Frick, Harper* 352
improved comfort polyester: analysis of four wearer trials *Hollies, DeMartino, Yoon, Buckley, Becker, Jackson* 544
wicking of: survey and comparison of laboratory test methods for measuring *Harnett, Mehta* 471

Laundering
soil remaining on fabrics after: evaluated by response surface methodology *Prato, Morris* 637

Lightfastness
of monoazo acid dyes on nylon 66: sulphonic acid groups and their effects *Shah, Jain* 630
of nylon 66: n-butanol assisted dyeing of Lanasol (acid reactive) dyes *Shah, Jain* 485
Light Microscopy
of developing cotton fibers: reversal frequencies in *Hebert, Boylston* 23
Lint
cotton: improved accuracy with the Shirley analyzer *Weller* 108
Looms
whip roll movement: reduction of warp tension fluctuation and beat-up strip width in weaving *Gu* 143

Mechanical Properties
and surface properties: improved comfort polyester *Yoon, Sawyer, Buckley* 357
of cotton: selected single fiber properties of different *Gossypium barbadense* varieties *Kamal, Zeronian, Ellison, Hyer* 343
of cotton yarn: sonic modulus and relationship with recovery parameters *Hussain, Krishna Iyer, Patil* 761
of nonwovens: computer simulation of fabric failure *Britton, Sampson, Gettys* 425
of nonwovens: determination of Poisson's ratio in thermally bonded nonwoven fabrics *Goswami, Suryadevara, Vigo* 391
Melt Spinning
of PET: identifying critical process variables *Dutta, Nadkarni* 35
simulation with PET: using for process optimization *Shenoy, Nadkarni* 778
Mercerization
and crosslinking: sonic modulus of cotton yarn and relationship with recovery parameters *Hussain, Krishna Iyer, Patil* 761
liquid ammonia and caustic: of cotton fibers using x-ray, infrared, and sorption measurements *Saafan, Kandil, Habib* 863
of cotton: as related to its bilateral structure *Aravindanath* 883
recrystallization behavior of native and thrice-mercerized cotton: amorphous cellulose *Bhama Iyer, Sreenivasan, Chidambareswaran, Patil* 732
stretch: of cotton fibers: fiber and yarn properties *Kim, Kang, Seyam, El-Shiekh* 325
stretch: of cotton fibers: fabric properties *Kim, Kang, Seyam, El-Shiekh* 370
Microorganisms
in classers' raw cottons: variation of microbial contaminants *Morey, Fischer, Sasser, Foarde, Attfield* 188
Migration
reagent: effect of drying rate on lateral migration of DP reagents in fabric *Bertoniere, King, Rowland* 50
reagent: in fabric thickness in pad-dry-cure finishing *Rowland, Bertoniere, King* 318
Models
probabilistic: fiber distribution in yarn surface as a criterion of quality *Żurek, Krucińska* 504
Mohair
and other specialty fibers: identification by electrophoresis *Marshall, Zahn, Blankenburg* 126
Moisture Content
of nylon 6: effect on stress ageing *Verma, Deopura, Sengupta* 92
Moisture Regain
analysis of blends: ternary fiber mixtures *Kumar* 136
to determine blend compositions: simple method *Mehta* 215
Moisture Transport
transient: mechanism of between fabrics *Adler, Walsh* 334

Molecular Orientation
of drawn PET fibers: effect of drawing on *Bhat, Naik* 868
of melt-spun PET: identifying critical process variables *Dutta, Nadkarni* ... 35
Morphology
composition of cuticle from chemically treated wool: role of cuticle in industrial shrinkproofing processes *Röper, Föhles, Peters, Zahn* ... 262

Natural Fibers
dye adsorption: chiral metallized azo dyes *Hutchinson, Bailar* ... 123
Nonwovens
defects in production: chemical and physical structure of neps in selected fabrics *Jakes, Umble* ... 644
mechanical properties: computer simulation of: bond breaking *Britton, Sampson, Gettys* ... 1
fabric failure: computer simulation of mechanical properties *Britton, Sampson, Gettys* ... 425
thermally bonded: determination of Poisson's ratio *Goswami, Suryadevara, Vigo* ... 391
Nylon
ageing of: effect of moisture content on stress ageing of nylon 6 *Verma, Deopura, Sengupta* ... 92
dyed with solubilized vat dyes: effect of hydroquinone on light induced degradation *Shah, Jain* ... 844
fading of: light fading of solubilized vat dyes on nylon 66 aftertreated with hydroquinone *Shah, Jain* ... 552
filaments: SEM studies of nylon 6 subjected to drawing and swelling treatment *Subramanian, Venkataraman, Bhat* ... 331
lightfastness of monoazo acid dyes on: sulphonic acid groups and their effects *Shah, Jain* ... 630
n-butanol assisted dyeing of: Lanasol (acid reactive) dyes *Shah, Jain* ... 485
ozone fading of disperse dyes: microspectrophotometric study: comments on *Urbanik* ... 356

Optical Properties
of multiple skin polymer fibers: measuring refractive indices and birefringence from interference patterns *Hamza, Fouda, Hashish, El-Farahaty* ... 802
illumination geometry of wool: image formation by fibers and fiber assemblies *Chudleigh* ... 813

Photodegradation
of jute: action of singlet oxygen quenchers *Abdullah, Miles* 415
of solubilized vat dyes: effect of hydroquinone on light-induced degradation of nylon 6 *Shah, Jain* ... 844
of wool: evaluation of the effects of temperature and UV-absorber treatments *Holt, Milligan* ... 521
Polyester
and blend yarns: relationship between twist and abrasion resistance of rotor spun yarns *Barella, Manich* ... 314
and cotton blends: residual oily soil distribution after laundering with selected detergents at various wash temperatures *Breen, Durnam, Obendorf* ... 198
and cotton blend yarns: diameter and hairiness of ring and rotor spun yarns *Barella, Manich, Castro, Hunter* 840
and viscose blends: effect of hardness ions on flammability of phosphorylated and aftertreated fabrics *Bajaj, Chakrapani, Jha, Jain* ... 854
homopolymer: dye resist effect during aqueous dyeing *Bhattacharjee* ... 438
improved comfort: transport properties and thermal comfort of polyester/cotton blend fabrics *Yoon, Buckley* ... 289
improved comfort: mechanical and surface properties *Yoon, Sawyer, Buckley* ... 357
improved comfort: wearer trials *DeMartino, Yoon, Buckley, Evins, Averell, Jackson, Schultz, Becker, Booker, Hollies* ... 447
improved comfort: analysis of four wearer trials *Hollies, DeMartino, Yoon, Buckley, Becker, Jackson* ... 544
improved comfort: results from two subjective wearer trials and their correlation with laboratory tests *DeMartino, Yoon, Buckley* ... 602
soiling behavior: effect of humidity: also cotton and crosslinked cotton *Kumar, Dave, Srivastava* ... 585
structure of PTE: are dissipative structures formed in the fiber formation process? *Przygocki* ... 128
reply *Lindenmeyer* ... 131
Polyester Fabrics
improved comfort: better tactile and sorption properties through caustic treatment *Latta* ... 766
Polyester Fibers
dyed: tinctorial efficacy of dyes: Kubelka-Munk values *Kissa* ... 497
Poly(ethylene Terephthalate)
and polyvinyl chloride: mechanism of light fading of azo dyes *Shah, Jain* ... 321
bimorphic filaments: surface characterization by inverse gas chromatography *Góźdź, Weigmann* ... 9
drawn fibers: effect on molecular orientation *Bhat, Naik* 868
fibers: dye diffusion in *Gupta, Gupta, Rajan, Kasturia* 54
melt spinning: identifying critical process variables *Dutta, Nadkarni* ... 35
melt spinning simulation: using for process optimization *Shenoy, Nadkarni* ... 778
Polymers
multiple skin fibers: measuring refractive indices and birefringence from interference patterns *Hamza, Fouda, Hashish, El-Farahaty* ... 802
polybenizmidazole fibers: comfort properties of *DeMartino* ... 516
water-soluble anionic: sorption by wool in acidic conditions for shrinkproofing *Cook, Fleischfresser* ... 441
Polypropylene
brominated: dyeing of: cationic dyes on *Shah, Jain* 742
Polyvinyl Alcohol
thermal stability: Ni(II) partially phosphorylated complexes *Kurose, Shirai, Shimizu, Hojo* ... 277
Porosity
in fabric filtration: electrical stimulation: model for pressure drop reduction *Morris, Lamb, Saville* ... 403
in fabric filtration: increased by electrical stimulation: mechanisms of pressure drop reduction with a lightning rod precharger *Lamb, Jones* ... 566
in textiles: new method for structure analysis using air flow *Hassenboehler* ... 252
of fabrics: spontaneous transplanar uptake of liquids by fabrics *Miller, Tyomkin* ... 706
of jute and cotton: gel permeation characteristics *Bertoniere, Rowland, Kabir, Rahman* ... 434
Proteins
contaminant layer in wool: characteristics of *Anderson, Christoe* ... 378

Radiation
infrared: heat transfer through fiber beds by radiation with shading and conduction *Stuart, Holcombe* ... 149
Rayon
flame resistant fabrics: performance characteristics and applications *Hettich* ... 382
viscose filaments: fine structural features of swollen and stretched normal rayon *Krishna Iyer, Sreenivasan, Aravindanath, Patil, Sundaram* ... 775

Reflectance
of dyes: tinctorial efficacy in polyester fibers: Kubelka-Munk values *Kissa* 497

Scanning Electron Microscopy
and TEM: fibrillation of the cortex of merino wool by freezing-thawing method *Ito, Sakabe, Miyamoto, Inagaki* 397
of nylon 6 filaments subjected to drawing and swelling treatment *Subramanian, Venkataraman, Bhat* 331
Scouring
of Merino wool: assessing wool characteristics and liquor system performance of an optimized Lo-flo plant *Anderson, Bateup, Warner* 833
raw wool: removal of protein contaminants: single bowl laboratory studies *Christoe* 713
Sewing
seam pucker: effect of jamming on: plain woven fabrics *Schwartz* 32
Shrinkproofing
industrial processes: role of cuticle: morphological composition of cuticle from chemically treated wool *Röper, Föhles, Peters, Zahn* 262
of FR treated wool: improvements to the combined Sirolan and Zirpro treatments *Gordon, Logan, White* 559
of wool: catalytic effect of acetic acid in reaction of polyamine with wool *Rivett, Stapleton* 47
of wool: sorption of water-soluble anionic polymers by wool *Cook, Fleischfresser* 441
Sizing
of yarns: physicochemical properties: initial studies with TRI cyclic tensile abrader *Slauson, Miller, Rebenfeld* 655
Soiling
in textiles: effect of humidity on soiling behavior *Kumar, Dave, Srivastava* 585
oily soils: dispersion and polar force components of surface tension for fatty acids, alcohols, triglycerides *Saito, Yabe* 18
residual oily soil distribution on polyester/cotton blends after laundering with selected detergents at various wash temperatures *Breen, Durnam, Obendorf* 198
Soil Removal
in various fabrics: soil remaining on fabrics after laundering as evaluated by response surface methodology *Prato, Morris* 637
Solvents
perchloroethylene and toluene: sorption by wool and other textiles: influence of co-solvents *Holt* 226
polar organic: effect on abrasion resistance of wool fabric *Feldtman, Leeder* 26
polymer-solvent interactions: bimorphic PET filaments: surface characterization by inverse gas chromatography *Góźdź, Weigmann* 9
Spinning
electrostatic process: ionization of atmospheric air under action of an electric field *Doğu* 111
of cotton: effect of combined dust control/antislip additives on cotton spinning *Abbott* 413
ring and rotor: diameter and hairiness of polyester cotton blended yarns *Barella, Manich, Castro, Hunter* ... 840
roll wrap formation: analysis of in continuous filament spinning *Gregory, Phillips, Wang* 793
rotor: loss in fiber tenacity during separation *Salhotra, Chattopadhyay* 194
rotor: structure of fiber assembly during yarn formation *Sengupta, Sreenivasa Murthy* 692
Strain
low cyclic torsional fatigue: apparatus for characterizing behavior of single fibers *Duckett, Goswami* 43
Surface Morphology
of bimorphic PET filaments: characterization by inverse gas chromatography *Góźdź, Weigmann* 9
Surface Properties
and mechanical properties: improved comfort polyester *Yoon, Sawyer, Buckley* 357
of jute: SEM study *Guha Roy, Mukopadhyay, Mukherjee* 874
Surface Tension
of oily soils: dispersion and polar force components *Saito, Yabe* 18

Tensile Properties
fiber breakage during carding: theory *Carnaby* 366
fiber breakage during carding: evaluation *Wood, Stanley-Boden, Carnaby* 419
of single cotton fibers: estimations from load elongation curves of bundles *Dhavan, Bhatt, Radhakrishnan* 549
of twisted hybrid fibrous structures: theoretical investigation and experimental studies *Kim, El-Shiekh* 526
Testing Procedures
for measuring wicking: survey and comparison for knitted fabrics *Harnett, Mehta* 471
sodium cobaltinitrite spot test: new marker for washed cotton *Domelsmith, Berni* 210
vertical test and oxygen index test: untreated cotton: effect of selected inorganic salts on cotton flammability *Hsieh, Hardin* 171
Texturing
yarns: stability of air texturing *Sengupta, Kothari, Roy* 125
Thermodynamics
improved comfort polyester: transport properties and thermal comfort of polyester/cotton blend fabrics *Yoon, Buckley* 289
of acrylic fiber dyed with basic dyes *Alberti, DeGiorgi* 105
to predict stress-strain of twisted fibrous structures: theoretical investigation and experimental studies *Kim, El-Shiekh* 526
Thermal Properties
protective fabrics: comparison of laboratory methods for evaluating thermal protective performance in convective/radiant exposures *Shalev, Barker* 648
Thermal Stability
of polyvinyl alcohol complexes: Ni(II) partially phosphorylated *Kurose, Shirai, Shimizu, Hojo* 277
Toxicity
levels in classers' raw cottons: variation of microbial contaminants *Morey, Fischer, Sasser, Foarde, Attfield* 188
of calcium oxalate crystals: occurrence in cotton plants and cotton-related dusts *Goynes, Ingber, Berni* ... 635
of chemicals in textiles: dermatological problems related to fiber content and dyes *Hatch* 664
of finishes: chemicals and textiles: dermatological problems related to finishes *Hatch* 721
of flame resistant rayon: performance characteristics and applications *Hettich* 382
of raw cotton fiber: further counts of bacteria *Simpson, Marsh* 231
Triaxial Fabrics
complex: cover, flexural rigidity, and tear strength *Schwartz* 581
Triboelectric Effects
directional: in keratin fibers *Jachowicz, Wis-Surel, Wolfram* 492

Washing
of cotton: changes in fiber surfaces *Goynes, Carra, Berni* 242
open-width machines: nonstationary mass transfer from moving fabric *van der Linden, Groot Wassink, Vos* 77
Weaving
face down: its effect on fabric properties *Gu* 736
whip roll movement: reduction of warp tension fluctuation and beat-up strip width *Gu* 143
Wettability
of fabrics: spontaneous transplanar uptake of liquid *Miller, Tyomkin* 706
Whiteness
of scoured wool: relationship between whiteness and the level of residual nitrogen-containing contaminants *Bateup* 299
of various fabrics after laundering: soil remaining as evaluated by response surface methodology *Prato, Morris* 637
Wicking
measuring: survey and comparison of laboratory test methods *Harnett, Mehta* 471
of fabrics: spontaneous transplanar uptake of liquids by fabrics *Miller, Tyomkin* 706
transient moisture transport: mechanisms of between fabrics *Adler, Walsh* 334
Wool
alkaline damaged: determining dehyroalanine and amide content to estimate damage *Steenken, Zahn* 429
and cotton blend fabric: made with scoured wool processed through the SRRC carding cleaner *Bel, Louis* 850
antistatic agents: evaluation of a series of reactive ionic, nonionic, and hydrophobic compounds *Lewis, Pailthorpe* 279
carbonization of: performance of a high velocity pulse jet filter to control emissions *Humphries, Miceli, Madden* 237
chemically treated: morphological composition of the cuticle: endocuticle content in isolated cuticle from amino acid analysis *Röper, Föhles, Peters, Zahn* .. 139
chemically treated: morphological composition of cuticle: role of cuticle in industrial shrinkproofing processes *Röper, Föhles, Peters, Zahn* 262
copolymers: osmium staining of beta-layers within the cell membrane complex of wool-butadiene copolymers *Evans, Russell, Jones* 696
flame retardant: effect of chrome dyeing on protection against molten aluminium *Benisek, Edmondson* .. 214
greasy: distribution of fiber diameter in sale lots: standard deviation *Whiteley, Thompson, Stanton, Welsman* 459
Lo-flo scouring plant: assessing wool characteristics and liquor system performance *Anderson, Bateup, Warner* 833
machine-washable FR treated: improvements to the combined Sirolan and Zirpro treatments *Gordon, Logan, White* 559
organic solvent treatments for: sorption of perchloroethylene and toluene: influence of co-solvents *Holt* .. 226
photodegradation of: evaluation of effects of temperature and UV-absorber treatments *Holt, Milligan* 521
protein contaminant layer: characteristics of *Anderson, Christoe* 378
raw: scouring protein contaminants from: single bowl laboratory studies *Christoe* 713
scoured: relationship between whiteness and the level of residual nitrogen-containing contaminants *Bateup* 299
shrinkproofing: catalytic effect of acetic acid in reaction of polyamine with wool *Rivett, Stapleton* 47
tops: distribution of fiber diameter: comments on *Gee* 689
reply to comments *Lunney* 689
worsted yarn: bending rigidity and hysteresis *Ly, Denby* 180
wrinkle recovery of: glass transition temperature as a function of regain *Wortmann, Rigby, Phillips* 6
Zirpro/BAP treated: machine washable, flame-retardant, water, oil, petrol, and acid repellent *Benisek, Craven* 350
Wool Fabrics
abrasion resistance of: effects of polar organic solvents *Feldtman, Leeder* 26
blends spun on cotton system: production and performance *Lupton, Kahn* 82
Martindale abraded: fracture planes of fibers *Tester* .. 75
Wool Fibers
and fiber assemblies: image formation by brightness distribution *Chudleigh* 813
cleaning and shortening: SRRC carding cleaner *Shepard* 613
fibrillation of the cortex: freezing-thawing treatments: SEM and TEM studies *Ito, Sakabe, Miyamoto, Inagaki* 397
flexural fatigue: chemically modified *Ellison, Zeronian* 690
shrinkproofing: sorption of water-soluble anionic polymers *Cook, Fleischfresser* 441
Wovens
complex triaxial fabrics: cover, flexural rigidity, and tear strength *Schwartz* 581
Wrinkle Recovery
of wool: glass transition temperature as a function of regain *Wortmann, Rigby, Phillips* 6

X-Ray Diffraction
of regenerated cellulose: extraneous lattice *Sreenivasan, Bhama Iyer, Patil* 119
X-Rays
orientation: aging and fall in cellulosic fibers *Kalyanaraman* 354

Yarns
air textured: stability of *Sengupta, Kothari, Roy* 125
continuous filament: analysis of roll wrap formation *Gregory, Phillips, Wang* 793
diameter and hairiness: ring and rotor polyester-cotton blended spun yarns *Barella, Manich, Castro, Hunter* 840
formation of in rotor spinning: structure of fiber assembly during *Sengupta, Sreenivasa Murthy* 692
helically wrapped elastic core: force extension behavior *Abbott* 204
multifilament: load-elongation properties of filaments *Datye, Mishra* 408
polyester and blends: relationship between twist and abrasion resistance of rotor spun yarns *Barella, Manich* 314
sized: physicochemical properties: initial studies using TRI cyclic tensile abrader *Slauson, Miller, Rebenfeld* 655
surface of: probabilistic model of fiber distribution as a criterion of quality *Żurek, Krucińska* 504
tensile behavior of twisted hybrid fibrous structures: theoretical investigation and experimental studies *Kim, El-Shiekh* 526